


Roofing & Wall Cladding

Snaplock Hiland Tray[™]





Smooth, seamless, sleek are all words used to describe this elegant profile.

Give your project a high end look with uninterrupted lines using Snaplock Hiland Tray™. It offers greater flexibility for longer lengths and more spanning capacity, thanks to the concealed clip fixing system. Select from any of the Colorbond® colour and finish options that will not only meet but exceed the brief.



Features at a glance:

- Rib Height 25 or 38mm
- Variable Cover 165mm 340mm
- BMT 0.55mm and 0.60mm
- Minimum Roof Pitch 2°
- Available in Colorbond[®] Standard, Matt Finish, Ultra, Metallic and Colorbond[®] Studio





TECHNICAL INFORMATION:

For Span tables or installation instructions, scan:

SPECIFICATION DETAILS:

To specify us or download REVIT/CAD files, scan:





APPLICATION:

- Wall cladding
- Roof sheeting
- Mansard Detail (Canterbury Pickle)
- Sheds

E/TRATCO

1300 155 155 | stratco.com.au

Scan this QR code to



find a Stratco near you.



The information contained within this brochure is for general use and information only. Stratco Australia recommends that you obtain appropriate expert advice confirming the suitability of product(s) and information in relation to the proposed application.

All brand names, images accompanied by ® or ™ remain the property of Stratco Australia.