



ARCHITECTURAL  
SOLUTIONS

**NINELINE**

Architectural  
Wall Cladding



**NINELINE™ Pleat**








## NINELINE™ Pleat

**Be captivated by the interplay of light and shadow with this triangular interpretation of the classic corrugated profile.**

Expand your access to different profile shapes with Stratco. This striking profile features a 90mm rib height that looks great up close and en masse. The cover design gives you a relatively low surface contact compared to existing metal cladding products, resulting in less heat transfer.

### Features at a glance:

▪ Rib Height:	90mm
▪ Cover:	590mm
▪ BMT:	0.55mm
▪ Fixing Method:	Pierced Fix
▪ Maximum Length:	6,000mm
▪ Minimum Length:	600mm
▪ Available in:	COLORBOND® Traditional Galvanized Z600 Stratco Woodgrain Zincalume®



Altura Coffee, SA | Photographer: Iain Bond Photography






## NINELINE™ Pleat

**Be captivated by the interplay of light and shadow with this triangular interpretation of the classic corrugated profile.**

Expand your access to different profile shapes with Stratco. This striking profile features a 90mm rib height that looks great up close and en masse. The cover design gives you a relatively low surface contact compared to existing metal cladding products, resulting in less heat transfer.

### Features at a glance:

▪ Rib Height:	90mm
▪ Cover:	590mm
▪ BMT:	0.55mm
▪ Fixing Method:	Pierced Fix
▪ Maximum Length:	6,000mm
▪ Minimum Length:	600mm
▪ Available in:	COLORBOND® Traditional Galvanized Z600 Stratco Woodgrain Zincalume®





## NINELINE™ Pleat

### TECHNICAL INFORMATION:

For all specification and detailing information scan the QR code.



### APPLICATION:

- Wall cladding
- Sheds



**1300 288 598 | [stratco-arc.com.au](http://stratco-arc.com.au)**

Scan this QR code to



find a Stratco near you.



The information contained within this brochure is for general use and information only. Stratco Australia recommends that you obtain appropriate expert advice confirming the suitability of product(s) and information in relation to the proposed application.

All brand names, images accompanied by ® or ™ remain the property of Stratco Australia.