



STRATCO
ARCHITECTURAL
SOLUTIONS

COMMERCIAL HALF ROUND GUTTERS





Stratco Commercial Half Round Gutters

Stratco specialise in manufacturing Half Round Gutters for commercial projects. Our half round gutter is the perfect addition when you want to make a bold design statement. The appealing shape of Half Round is largely self cleaning and has a good water carrying ability due to its wide diameter. Half Round is ideal for modern industrial and office buildings because of its clean, smooth, practical shape.

FEATURES

- Custom manufactured lengths up to 6 metres
- Available Finishes:
 - Colorbond® full range including Classic, Matt Finish, ULTRA.
 - Zincolume®
 - Traditional Galvanised Z600
 - Stainless Steel
 - Copper
- Unslotted only
- Standard brackets available for 200mm to 400mm gutters
- Made from 0.55mm base metal thickness material
- Easy to clean - requires less maintenance
- Sizes: 200mm, 250mm, 300mm, 350mm & 400mm

BRACKETS

- 3.0mm Aluminium brackets spaced at 1.2m centres (max)
- Powder coated to match the gutter
- In-built overflow protection
- Engineered to AS/NZS 2179.1

BRACKET FIXING

- Timber: 12 gauge coach bolt or 12 gauge hex head fastener
- Steel: 12 gauge hex head fastener
*300 - 400mm brackets require 3 fixings



STANDARD BRACKET Standard Bracket Dimensions			
Size (mm)	A	B	C
200	135	200	90
250	165	250	120
300	195	300	150
350	228	350	180
400	258	400	210

--	--

SPECIFICATIONS Cross Sectional Area	
Size (mm)	Cross Sectional Area (mm ²)
200	15,600
250	24,500
300	35,200
350	48,000
400	62,700

COMMERCIAL GUTTER BRACKET Strength Capacity		
Size (mm)	CAPACITY (kN)	(kg)
200	2.53	258
250	2.72	277
300	2.97	302
350	3.27	333
400	3.59	365



1300 288 598 | stratco-arc.com.au

Scan this QR code to



find a Stratco near you.



The information contained within this brochure is for general use and information only. Stratco Australia recommends that you obtain appropriate expert advice confirming the suitability of product(s) and information in relation to the proposed application.

All brand names, images accompanied by ® or ™ remain the property of Stratco Australia.