ARCHITECTURAL
SOLUTIONS



NINELINE

Architectural Wall Cladding

NINELINE™ Pleat

STRATCO

GOOD DESIGN AWARD® GOLD WINNER

Front cover image: St Peter's Girls, SA
Architect: Swanbury Penglase Architects
Profile: NINELINE™ Pleat

Image: Grange Recreation Reserve, SA
Architect: SMFA Architects
Profile: NINELINE™ Pleat


NINELINE™ Pleat

Be captivated by the interplay of light and shadow with this triangular interpretation of the classic corrugated profile.

Expand your access to different profile shapes with Stratco. This striking profile features a 90mm rib height that looks great up close and en masse. The cover design gives you a relatively low surface contact compared to existing metal cladding products, resulting in less heat transfer.

Features at a glance:

Rib Height:	90mm
Cover:	590mm
BMT:	0.55mm
Fixing Method:	Pierced Fix
Maximum Length:	6,000mm
Minimum Length:	600mm
Available in:	COLORBOND® Traditional Galvanized Z600 Stratco Woodgrain Zincalume®





NINELINE ™ Pleat

TECHNICAL INFORMATION:

For all specification and detailing information scan the QR code.

APPLICATION:

- Wall cladding
- Sheds

STRATCO

1300 288 598 | stratco-arc.com.au

Scan this QR code to find a Stratco near you.

Colorbond®

The information contained within this brochure is for general use and information only. Stratco Australia recommends that you obtain appropriate expert advice confirming the suitability of product(s) and information in relation to the proposed application.

All brand names, images accompanied by ® or ™ remain the property of Stratco Australia.

October 26_NINELINE_Pleat