



ARCHITECTURAL
SOLUTIONS



Roofing & Wall Cladding

Maximus 33™

 STRATCO



Maximus 33™

**Welcome to a better performing corrugated profile,
with Maximus 33™.**

For larger scale buildings wanting a corrugated look Maximus 33 provides a sense of scale to ensure the corrugations remain defined.



Features at a glance:

- Rib Height 33mm
- Sheet coverage 614mm and 737mm
- BMT 0.42mm (QLD only) and 0.48
- Minimum Roof Pitch 2°
- Available in Colorbond® Standard, Matt Finish, Ultra, Metallic and Colorbond® Studio
- Available in Traditional Galvanised Z600 0.48 BMT





Maximus 33™

TECHNICAL INFORMATION:

For Span tables or installation instructions, scan:



SPECIFICATION DETAILS:

To specify us or download REVIT/CAD files, scan:



APPLICATION:

- Wall cladding
- Roof sheeting
- Sheds
- Soffits
- Skillion Roofs



1300 155 155 | stratco.com.au

Scan this QR code to



find a Stratco near you.



The information contained within this brochure is for general use and information only. Stratco Australia recommends that you obtain appropriate expert advice confirming the suitability of product(s) and information in relation to the proposed application.

All brand names, images accompanied by ® or ™ remain the property of Stratco Australia.